	Application No.	Applicant(s)
	10/606,798	BRUDER ET AL.
Notice of Allowability	Examiner	Art Unit
	David V Bruce	2882
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	plication. If not included n will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>Application of 27 Jun</u>	<u>03</u> .	
2. The allowed claim(s) is/are <u>1-32</u> .		
3. X The drawings filed on 27 June 2003 are accepted by the Ex	xaminer.	
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submining INFORMAL PATENT APPLICATION (PTO-152) which give		
 6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date ldentifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the post attached Examiner's comment regarding REQUIREMENT in the same process of the post attached Examiner's comment regarding REQUIREMENT in the same process. 	on's Patent Drawing Review (PTO s Amendment / Comment or in the (84(c)) should be written on the drawine header according to 37 CFR 1.1216 sit of BIOLOGICAL MATERIAL	Office action of ings in the front (not the back) of (d). must be submitted. Note the
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 20030627 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview Summary Paper No./Mail Da 8), 7. Examiner's Amend	ite

Application/Control Number: 10/606,798 Page 2

Art Unit: 2882

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: the claims address a method (apparatus, and computer program) for organ-specific image optimization in computed tomography where first and second CT images based on Hounsfield Units are created, an HU value frequency distribution created from the first CT image, a HU dependent transfer function created for at least one organ specific region, the first and second images are filtered using the HU dependent transfer function and mixed (independent claims 1 and 27). This feature is neither shown nor fairly suggested in the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Poole *et al.* US 6,658,080 B1 and Arnold *et al* US 4,922,915 show the creation of frequency distributions of HU values.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David V Bruce whose telephone number is (571) 272-2487. The examiner can normally be reached on M - Th and alt Fri 8:00 - 4:30 subject to I-Flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward J Glick can be reached on (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2882

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David V Bruce Primary Examiner Art Unit 2882 Page 3

dvb